

AZTEC 4.67 G is not systemic and will not interact with corn herbicides. It will not affect seed germination or crop emergence when applied in-furrow.

RECOMMENDED APPLICATIONS																
CROP	PEST	DOSAGE														
FIELD CROPS Field Corn Sweet Corn Popcorn Corn grown for seed or silage	Corn rootworm larvae Northern Western Southern Cutworms Wireworms Seedcorn maggot Seedcorn beetle White grubs	3.0 ounces per 1,000 feet of row														
<b>REMARKS:</b> <b>BAND</b> – Apply specified dosage at planting as a 7-inch band over the row behind the press wheel. Granules must be incorporated into the top one-inch of soil using tines, chains, or other suitable equipment. <b>T-BAND</b> – Apply specified dosage at planting as a T-Band over the row behind the planter shoe and in front of the press wheel. Incorporation into the soil surface may also be accomplished with a drag chain or other suitable equipment. <b>IN-FURROW</b> – Apply specified dosage at planting directly into the seed furrow behind the planter shoe and in front of the press wheel. A maximum of 3.27 pounds AZTEC 4.67 G may be applied per acre per crop season. <table><tr><td>Row Spacing (inches)</td><td>Pounds Per Acre</td></tr><tr><td>30</td><td>3.27</td></tr><tr><td>32</td><td>3.06</td></tr><tr><td>34</td><td>2.89</td></tr><tr><td>36</td><td>2.72</td></tr><tr><td>38</td><td>2.58</td></tr><tr><td>40</td><td>2.45</td></tr></table> <b>OPTIMUM CONTROL</b> – Optimum control of cutworm is achieved when AZTEC 4.67 G is applied as a Band or T-Band. Optimum control of wireworms, seedcorn maggot, seedcorn beetle and white grubs is achieved when AZTEC 4.67 G is applied as a T-Band or In-Furrow. For no-till corn where runoff drains into adjacent or neighboring aquatic sites (lakes, reservoirs, rivers, permanent streams, marshes, estuaries, natural ponds, or ponds used for commercial fishing), apply AZTEC 4.67 G as an in-furrow or T-band application only. For applications made within 20 yards of aquatic sites (lakes, reservoirs, rivers, permanent streams, marshes, estuaries, natural ponds, or ponds used for commercial fishing), apply as an in-furrow application only. Cover or incorporate spills (including end row spillage).			Row Spacing (inches)	Pounds Per Acre	30	3.27	32	3.06	34	2.89	36	2.72	38	2.58	40	2.45
Row Spacing (inches)	Pounds Per Acre															
30	3.27															
32	3.06															
34	2.89															
36	2.72															
38	2.58															
40	2.45															

**SmartBox Information:** AZTEC 4.67 G must be applied with the SmartBox system. Refer to the SmartBox equipment and use manual for information on system operation and calibration.

STORAGE AND DISPOSAL

**Product Storage:** Do not attempt to remove excess material from SmartBox containers or base containers. Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

**Handling and Spillage:** AZTEC 4.67 G in the SmartBox is a completely closed application system. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Do not walk through spilled material. In spill or leak incidents, keep unauthorized people away. Dispose of pesticide as directed in the Pesticide Disposal section. Refer to Precautionary Statements on label for hazards associated with the handling of this material. You may contact the Bayer Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Kansas City Emergency Response Telephone No. is 800-414-0244 or contact Chemtrec at 800-424-9300.

**Pesticide Disposal:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Do not discard SmartBox container. Refer to instructions provided for container return.

CONDITIONS OF SALE

THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE THE DIRECTIONS FOR CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED FOR A RANGE OF WEATHER CONDITIONS SIMILAR TO THOSE WEATHER CONDITIONS THAT ARE ORDINARY AND CUSTOMARY IN THE GEOGRAPHIC AREA WHERE THE PRODUCT IS USED. INSUFFICIENT CONTROL OF PESTS AND/OR INJURY TO THE CROP TO WHICH THE PRODUCT IS APPLIED MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL WEATHER, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO OTHER CROPS, ANIMALS, MAN, OR THE ENVIRONMENT. BAYER OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL WEATHER, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF BAYER AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

Aztec® is a registered trademark of Bayer AG.  
SmartBox® is a registered trademark of Amvac Chemical Corporation.

AMVAC Chemical Corporation  
4100 E. Washington Boulevard  
Los Angeles, CA 90023 U.S.A.  
1-323-264-3910  
www.amvac-chemical.com



AZTEC® 4.67 G

granular insecticide



RESTRICTED USE PESTICIDE  
Due to Toxicity to Aquatic Invertebrates

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

AZTEC® 4.67 G

Granular Insecticide for use in SmartBox® system only.

For control of corn rootworms, cutworms and other soil insect pests in corn.

ACTIVE INGREDIENTS:

O-[2-(1,1-Dimethylethyl)-5-pyrimidinyl]  
O-ethyl O-(1-methylethyl) phosphorothioate.....4.45%  
Cyfluthrin, Cyano(4-fluoro-3-phenoxyphenyl)  
-methyl 3-(2,2-dichloroethenyl)-2,2-  
dimethylcyclopropanecarboxylate.....0.22%

INERT INGREDIENTS: .....95.33%  
Total 100.00%

EPA Reg. No. 264-811-5481 EPA Est. No. 5481-AL-1

STOP! READ LABEL BEFORE USE  
KEEP OUT OF REACH OF CHILDREN  
WARNING - AVISO

PRECAUCION AL USUARIO: Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (TO THE USER: If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

Contains an organophosphate that inhibits cholinesterase

If swallowed	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
If in eyes	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>

First Aid continued in next column

First Aid (continued)	
If on skin or clothing	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15 to 20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
If inhaled	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>
EMERGENCY INFORMATION	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. FOR THE FOLLOWING EMERGENCIES, PHONE 24 HOURS A DAY: Transportation: CHEMTREC ..... 1-800-424-9300 Other: AMVAC ..... 1-323-264-3910	
<b>Note to Physician:</b> ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 24-48 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid breathing vapor or dust. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are any water proof materials. For more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical resistant gloves such as or made out of any waterproof material
- Shoes plus socks

See Engineering Controls for additional requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls Statements:

This product is formulated into a "Smart Box" system that meets the definition of a closed loading system as defined by the Worker Protection Standard for Agricultural Pesticides.

**IMPORTANT:** In addition to wearing the required PPE specified above, loaders must be provided and must have immediately available for use in case of an accident or spill: a NIOSH-approved dust mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH-approved respirator with any N, R, P, or HE filter.

- When handlers use closed systems, or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

When used on erodible soils, best management practices for minimizing runoff should be employed. Consult your local Soil Conservation Service for recommendations in your use area. For applications made within 20 yards of water (lakes, reservoirs, rivers, permanent streams, marshes, estuaries, natural ponds, or ponds used for commercial fishing), apply as an in-furrow application only.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. The REI is 72 hours where average rainfall is less than 25 inches per year.

**Exception:** If the product is soil injected or soil incorporated, the Worker Protection Standard under certain circumstances, allows workers to enter the treated area without restrictions if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water), is:

- Coveralls over long-sleeved shirt and long pants,
- Chemical resistant gloves such as or made out of any waterproof material,
- Chemical resistant footwear plus socks,
- Protective eye wear

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

**IMPORTANT:** Read the entire directions for use, maintenance sections for the SmartBox™ System and these entire Directions and Conditions of Sale for AZTEC 4.67 G prior to use.

For use only in the states of: Arkansas, Colorado, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Michigan, Minnesota, Missouri, Montana, Nebraska, Nevada, New Mexico, North Dakota, Ohio, Oklahoma, Pennsylvania, South Dakota, Tennessee, Utah, Vermont, West Virginia, Wisconsin, and Wyoming.

Do not use on other crops grown for food or forage.

Corn may be replanted anytime after application of AZTEC 4.67 G. All other crops may be planted 30 days after application.



4100 E. Washington Blvd.  
Los Angeles, CA 90023, U.S.A.  
1-323-264-3910 • www.amvac-chemical.com